

Pre-Project Checklist for Lead Safe Work Practices or Lead Hazard Remediation

(no child in residence or child > 6 in residence)

Paperwork to review

The lead consulting activities (inspection, assessment, lead remediation plan and scope of work) shall be conducted by a person employed by a current DPH Licensed *Lead Consultant* (verify through DPH e-licensing

<https://www.elicense.ct.gov/Lookup/LicenseLookup.aspx>)

- Copy of DPH Lead Consultant License: blue card with company name and license type
- License #: _____

The person who will conduct the lead inspection or lead risk assessment shall hold a current certification issued by the DPH as a *Lead Inspector* or *Lead Inspector Risk Assessor* (verify through DPH e-licensing

<https://www.elicense.ct.gov/Lookup/LicenseLookup.aspx>)

- Copy of DPH Inspector or Inspector/Risk Assessor Certification: blue card with person's name and credential
- Certification #: _____
- Latest annual refresher showing that the person is up-to-date
- Photo ID

The person who will prepare the lead hazard remediation plan shall hold a current certification issued by the DPH as a *Lead Planner-Project Designer* (verify through DPH e-licensing <https://www.elicense.ct.gov/Lookup/LicenseLookup.aspx>)

- Copy of DPH Lead Planner-Project Designer Certification: blue card with person's name and credential title
- Certification #: _____
- Latest annual refresher showing that the person is up-to-date
- Photo ID

The company that will conduct the lead hazard remediation work shall be an EPA RRP Certified Firm. Individuals carrying out the work must meet lead-safe work practices training requirements. (verify through EPA

<https://cfpub.epa.gov/flpp/pub/index.cfm?do=main.firmSearch>)

- Copy of the EPA RRP Firm
- Certification #: _____
- Copy of RRP training course certificate

The person that will conduct final clearance of the worksite shall be a current DPH certified lead inspector or lead inspector risk assessor and shall be employed by a current DPH licensed Lead Consultant in order to perform final clearance activities. The licensure and certification credentials must be verified again to ensure that the licenses, certifications and refreshers are still current. (verify through DPH e-licensing

<https://www.elicense.ct.gov/Lookup/LicenseLookup.aspx>)

- Copy of DPH Lead Consultant License: blue card with company name
- License #: _____
- Copy of DPH Inspector or Inspector/Risk Assessor Certification: blue card with person's name and credential
- Certification #: _____
- Latest annual 8 hours refresher training certificate showing that the person is up-to-date
- Photo ID

Waste disposal records for lead-based paint waste must be recorded to show that it was disposed of properly.

The household hazardous waste exemption applies to contractor-generated waste only if:

- There are less than 10 cubic yards of lead waste (if volumes of waste exceed 10 cubic yards, CT DEEP Hazardous Waste Regulations apply)
- The homeowner agrees in writing to accept the waste material for disposal
- The homeowner is informed of the amount and nature of the waste being left behind
- The homeowner must have a means to legally and safely store the waste and a viable outlet to dispose of the waste in the near future